ID.me Identity Proofing & EPCS Credentialing

Last Modified on 07/08/2025 2:31 pm EDT

Overview of ID.me Integration

Overview

The ID.me integration within iSalus will allow for two crucial actions to take place before a provider prescribes controlled substances from within the system. SureScripts and the DEA require the following to place electronic prescriptions:

Identity Proofing for General ePrescribing:

A user (prescriber) will need to complete IAL2 (Identity Assurance Level 2) **Identity Proofing** before being added to the SureSripts prescribing network. This is completed within the IDme Verify screen, found in User Setup > Toolbar - Checkmark Icon (see below). There is no charge for these services as it is included in the monthly subscription rate for the provider accounts.

User Setup		
	् 🖌 🗋 🖣 🚨 🤆	
Users	Section	Open the ID me verification window
 iCloud (IDme), Chandler B. 		e open die ionne venneadon window

IMPORTANT: **Providers intending to ePrescribe** medications from within OfficeEMR **MUST** Complete Identity Proofing via ID.me

Obtain Credentials for Prescribing Controlled Substances (EPCS):

A user (prescriber) will need to complete the **Verify EPCS** process to obtain valid credentials to be used for the signing step of prescribing controlled substances. There is a monthly cost for this product. Please open a ticket with support to enable the setup and discuss the pricing of the "**IDme EPCS**" product within your database. See Complete EPCS Setup via ID.me for full step-by-step instructions.

NOTE: If a provider intends on prescribing from multiple service locations, and has multiple DEA numbers (*specific to state*) each of the valid DEA numbers should be added to both iSalus and IDme for verification.

-	 Verify 			
If you have an existing ID.me account that you've used in another application, please enter your login credentials and verify your NPI. Otherwise, please create a new account and complete all steps. It is recommended you set aside uninterrupted time to complete this process. You may need your mobile device to set up MFA within the verification process and complete the liveness check, which will require a camera.				
V	/erify Identity Image: Comparison of the second s			

Complete Identity Proofing via ID.me



The purpose of Identity Proofing is to ensure an OfficeEMR provider is who they claim to be prior to being able to electronically send prescriptions from the EMR. This document will describe the necessary steps to complete the setup from the provider's perspective.

	✓ Verify
	If you have an existing ID.me account that you've used in another application, please enter your login credentials and verify your NPI. Otherwise, please create a new account and complete all steps. It is recommended you set aside uninterrupted time to complete this process. You may need your mobile device to set up MFA within the verification process and complete the liveness check, which will require a camera.
6	Verify Identity 🔗 Verify with ID.me

The Identity Proofing process is a requirement from SureScripts starting 9/01/2022, new prescribers being added to the SureScripts network must complete at a minimum, IAL2 identity proofing. <u>Providers needing to prescribe Controlled Substances (ECPS)</u> **MUST COMPLETE EPCS Enrollment via ID.me**.

Prerequisite

Security Screen: Practice - General > Admin > IDme Verify

The above screen will need to be enabled for the role associated with the user completing Identity Verification. This role will need to have "<u>Write</u>" permissions in order to access the screen described in Step 3 below. For help on modifying roles, see the documentation on Assigning a Screen to a Role.

Steps to Complete

- 1. After logging into OfficeEMR
- 2. Navigate to User Setup (Setup > Users or "Current User" from the bottom left of the screen)
- 3. Ensure your name is selected from the left side, then **select the checkmark icon** from the toolbar *Note: If you are unable to access this button, please see the above Prerequisite section.*

User Setup			
Q 🖬 🗋 🗞 🙆 🤱 🖉 🦧 🥑			
Users	Section		

4. Search & Save the "Prescribing Provider", this is the provider to be verified (yourself)

ID.me Verify						
	User	chandler				
	Provider	Search Provider Search				
		Select a Provider to associate with ID.me				
Select Veri	fy Identity					
ID.me	Verify					
User Provider	chandler Seuss, Do	ctor 🔀 Link				
🗸 Verify	✓ Verify					
If you h credent recomm You ma check, t	If you have an existing ID.me account that you've used in another application, please enter your login credentials and verify your NPI. Otherwise, please create a new account and complete all steps. It is recommended you set aside uninterrupted time to complete this process. You may need your mobile device to set up MFA within the verification process and complete the liveness check, which will require a camera.					
Verify Ide Verify EPC	ntity 🧭 Veri	fy with ID.me				

6. Create an ID.me account or Login with an existing ID.me account, if logging into an existing account please skip to step 22.

Tips

5.

- This CAN NOT be completed by an Administrator on behalf of a provider.
- You will want to ensure you have set aside **uninterrupted time (10-20 minutes)** and have your **Personal Cell Phone**, **Drivers License**, and **NPI** easily accessible.
- Existing ID.me accounts may be used to complete the process, just log in with your existing credentials, enter your NPI and allow iSalus to access the data via the prompt. Potential entities you may have already created an account for include (IRS, DMV, Social Security Administration, former EMR, and more)
- Be sure to contact iSalus Support or your Implementation contact once completed to ensure your credentials will be enabled in the SureScripts network. If you do not notify the team, you will be unable to electronically prescribe from the EMR.

7. Enter your PERSONAL EMAIL, create a password, and accept the TOS and Privacy Policy

Email *			
email@test.com	±		
Did you mean: <u>email@</u>	0me.com		
Password *			
•••••	۹		
Confirm Password *	۹		
I accept the ID.me <u>Terms of Service</u> and <u>Privacy Policy</u>			
Create account			

Тір

It is in your best interest to **use a personal email** as opposed to the **company email** affiliated with your practice. Since this account may be used for personal affairs outside of iSalus, you will want to be in control of the email address you provide.

- 8. Enter the 6-digit code received in your personal email, then select Continue
- Select a Multi-Factor Authentication (MFA) method from the available list. The Push Notification is best, but Code Generator Application is also available. The Code Generator option adds more steps to the prescribing workflow but is DEA-compliant.

D Secure your account - ID.me - Google Chrome	_	×
api.idmelabs.com/en/multifactor/setup		Q
ID.me + 😪 iSalus°		
Choose an MFA option With multi-factor authentication (MFA), even if		
someone guesses your password, they won't be able to sign in as you.	_	
Push Notification Approve sign-ins via push notifications sent to the ID.me Authenticator mobile app.		
Generator Application Generate verification codes via code generator apps like ID.me Authenticator.		

- Complete MFA Setup by providing the cell phone number of the device you intend to receive 2FA request on. Once you receive the text message follow the on-screen instructions to Download the IDme Authenticator and associate the ID.me account.
- 11. **Approve** (*Push Notification*) or **Enter the code** (Open IDme Authenticator and enter 6-digit code) received via the selected MFA, then select **Continue**
 - You may optionally generate a recovery code that you may access the ID.me in the event you lose access to the device setup for MFA. You will want to keep this code someplace safe, outside of the device you have MFA setup on.
- 12. Choose a Verification Method, typically the license or state ID option will be the easiest to provide.
- 13. Accept the consent for Biometric Data Collection. This is to ensure you are able to complete the "liveness" check after uploading your documents.
- 14. You may either Take a Photo or upload an existing image of your selected document type.
 - If uploading documents, you will want to select from your computer's files the Front and Back of the document (unless Passport)
- 15. After selecting Take a Photo, you will be prompted to **Enter a Mobile Phone Number** and **Continue.** This phone will receive a link to complete the document upload and "liveness" check.
- 16. Select the link received on your phone, the screen will look like the following in your mobile browser.



- 17. Follow the prompts for taking photos with your phone
 - Depending on the document type selected in step 11, you will be asked to upload the Front and Back of the document.
 - Review the documents on the page before submitting them for verification. Ensure they are clear and the edges are not cut off.
- 18. After uploading/taking the photo you will need to take a video selfie

VERIFY YOUR IDENTITY



Begin video selfie with liveness detection?

- · Make sure you are in a well-lit area
- Remove anything that covers your face (e.g., glasses, hats)
- Avoid a light source behind you (backlight)
- Hold the phone straight in front of your face (avoid angles)

Scan my face

- 19. Ensure you "Allow Access to Camera" within your mobile device's browser when prompted, and complete a scan of your face.
 - It is important that when you scan your face it matches the document you have just uploaded. Namely, if you are wearing glasses currently but were not on your driver's license, please remove them.
 - Be sure to follow prompts during the scan, there may be warnings such as "Move Closer"
 - If the scan is not working for you initially, please try again until after your third attempt.
- 20. Once the **Images Submitted** message is seen on your phone, **navigate back to the computer** where you started the process.
- 21. Enter any remaining fields related to your identity, this may just be your SSN, but you may be prompted for your Current Home Address (if unable to verify the information from the uploaded document)
- 22. Verify the Details seen on the ID.me screen. If correct, select the Checkbox and Yes to continue

correctly?				
We will securely use the following information to verify your identity against trusted sources.				
What does this mea	in? ^			
Personal informa	ition			
First Name	VERONICA			
Middle Name	С			
Last Name	PERSINGER			
Date of Birth	07/09/1942			
Home address				
Street	1234 Aggie Ln			
	124			
City	Indianapolis			
State	IN			
Zip Code	46260			
Phone number				
Mobile Phone	317-474-2516			
The information I'v the use of <u>Fair Crea</u> identity.	e provided is correct, and I accept <u>dit Reporting Act</u> data to verify my			
What is The Federal	Fair Credit Reporting Act?			

Is your information displayed

23. Begin the NPI check



24. Enter your NPI. If all information returns correctly (State License Number & Issuing State), select a Provider Type from the provided list. Then select continue.



- 25. Allow the information to be shared back to OfficeEMR
- 26. Confirm the results in the Identity Proofing Screen
 - Ensure the NPI in the ID.me column matches what is seen in Provider Setup
 - The additional details such as <u>email may differ</u> depending on what was provided in the New Provider Packet or Implementation Packet. These may differ but will still allow you to continue.
- 27. After the results are confirmed, you will need to **contact iSalus to complete the process**. If you are in Implementation please reach out to your contact on the project. If adding a New Provider via Support

please reach out to support@isalushealthcare.com or open a ticket to "Enable ePrescribing for {Doctor Name}"

28. After the iSalus representative has completed their portion, you will be ready to ePrescribe within the EMR.

Complete EPCS Enrollment via ID.me



The purpose of the ID.me EPCS credential is to ensure an OfficeEMR prescriber is able to electronically send controlled substance (EPCS) prescriptions in the EMR in accordance with DEA 1311 requirements. This document will describe the necessary steps to complete from the provider's perspective.

Verify	
If you have an existing ID.me account that you've used in another application, please enter your login credentials and verify your NPI. Otherwise, please create a new account and complete all steps. It is recommended you set aside uninterrupted time to complete this process. You may need your mobile device to set up MFA within the verification process and complete the liveness check, which will require a camera.	
Verify EPCS S Verify with ID.me	

Process Overview

In order to prescribe electronic controlled substances (EPCS), the following parts must be completed:

- 1. Complete EPCS Enrollment via ID.me
- 2. Add & Enabled the ID.me EPCS Credential
- 3. **Approve ID.me Credentials

** The first prescriber added to any database will be auto-approved. All subsequent providers added to that database must receive approval from a provider with an approved credential.

Prerequisite

Security Screen: Practice - General > Admin > IDme Verify

The above screen will need to be enabled for the role associated with the user setting up Identity Verification. This role will need to have "<u>Write</u>" permissions in order to access the screen described in Step 3 below. For help on modifying roles, see the documentation on Assigning a Screen to a Role.

TIP: ID.me will request you to provide the prescriber's **NPI & DEA Number & State.** Have these values readily available when beginning the process to ensure you are able to complete the Medical Credential Check step without navigating away from the setup screens.

Steps to Complete

- 1. After logging into OfficeEMR
- 2. Navigate to User Setup (Setup > Users or "Current User" from the bottom left of the screen)
- 3. Ensure your name is selected from the left side, then **select the checkmark icon** from the toolbar *Note: If you are unable to access this button, please see the above Prerequisite section.*



4. Search & Save the "Prescribing Provider", this is the provider to be credentialed (yourself)

ID.me Verify User chandler Provider Search Provider Select a Provider to associate with ID.me

5. Select Verify EPCS

"Verify Identity" is for prescribers who do not prescribe EPCS

	✓ Verify
	If you have an existing ID.me account that you've used in another application, please enter your login credentials and verify your NPI. Otherwise, please create a new account and complete all steps. It is recommended you set aside uninterrupted time to complete this process. You may need your mobile device to set up MFA within the verification process and complete the liveness check, which will require a camera.
(Verify EPCS 🧭 Verify with ID.me

6. Create an ID.me account or Login with an existing ID.me account, if logging into an existing account please skip to step 22.

Tips

- This CAN NOT be completed by an Administrator on the behalf of a provider.
- You will want to ensure you have set aside **uninterrupted time (10-20 minutes)** and have your **Personal Cell Phone**, **Drivers License**, and **NPI** easily accessible.
- Existing ID.me accounts may be used to complete the process, just log in with your existing credentials, enter your NPI and allow iSalus to access the data via the prompt. Potential entities you may have already created an account for include (IRS, DMV, Social Security Administration, Former EMR, and more)
- Be sure to contact iSalus Support or your Implementation contact once completed to ensure your credentials will be enabled in the SureScripts network. If you do not notify the team, you will be unable to electronically prescribe from the EMR.
- 7. Enter your PERSONAL EMAIL, create a password, and accept the TOS and Privacy Policy

Email *	
email@test.com	۵
Did you mean: <u>email@me.com</u>	
Password *	
	٩
Confirm Password *	Ģ
I accept the ID.me <u>Terms of Service</u> and	Privacy Policy

Тір

It is in your best interest to **use a personal email** as opposed to the **company email** affiliated with your practice. Since this account may be used for personal affairs outside of iSalus, you will want to be in control of the email address you provide.

- 8. Enter the 6-digit code received in your email, then select Continue
- Select a Multi-Factor Authentication (MFA) method from the available list. The Push Notification is best, but Code Generator Application is also available. The Code Generator option adds more steps to the prescribing workflow but is DEA-compliant.

D Secure your account - ID.me - Google Chrome	—	×
api.idmelabs.com/en/multifactor/setup		Q
ID.me + 😽 iSalus		
Choose an MFA option		
someone guesses your password, they won't be able to sign in as you.		
Push Notification Approve sign-ins via push notifications sent to the ID.me Authenticator mobile app.		
Generator Application Generate verification codes via code generator apps like ID.me Authenticator.		

- 10. Enter the code received via the selected MFA, then select Continue
 - You may optionally generate a recovery code that you may access the ID.me in the event you lose access to the device setup for MFA. You will want to keep this code someplace safe, outside of the device you have MFA setup on.
- 11. Choose a Verification Method, typically the license or state ID option will be the easiest to provide.
- 12. Accept the consent for Biometric Data Collection. This is to ensure you are able to complete the "liveness" check after uploading your documents.
- 13. You may either Take a Photo or upload an existing image of your selected document type.
 - If uploading documents, you will want to select from your computer's files the Front and Back of the document (unless Passport)
- 14. After selecting Take a Photo, you will be prompted to **Enter a Mobile Phone Number** and **Continue.** This phone will receive a link to complete the document upload and "liveness" check.
- 15. Select the link received on your phone, the screen will look like the following in your mobile browser.



- 16. Follow the prompts for taking photos with your phone
 - Depending on the document type selected in step 11, you will be asked to upload the Front and Back of the document.
 - Review the documents on the page before submitting them for verification. Ensure they are clear and the edges are not cut off.
- 17. After uploading/taking the photo you will need to take a video selfie

VERIFY YOUR IDENTITY



Begin video selfie with liveness detection?

- · Make sure you are in a well-lit area
- Remove anything that covers your face (e.g., glasses, hats)
- Avoid a light source behind you (backlight)
- Hold the phone straight in front of your face (avoid angles)

Scan my face

- 18. Ensure you "Allow Access to Camera" within your mobile device's browser when prompted, and complete a scan of your face.
 - It is important that when you scan your face it matches the document you have just uploaded. Namely, if you are wearing glasses currently but were not on your driver's license, please remove them.
 - Be sure to follow prompts during the scan, there may be warnings such as "Move Closer"
 - If the scan is not working for you initially, please try again until after your third attempt.
- 19. Once the **Images Submitted** message is seen on your phone, **navigate back to the computer** where you started the process.
- 20. Enter any remaining fields related to your identity, this may just be your SSN, but you may be prompted for your Current Home Address (if unable to verify the information from the uploaded document)
- 21. Verify the Details seen on the ID.me screen. If correct, select the Checkbox and Yes to continue

(correctly?
We will securely u verify your ider	se the following information to htity against trusted sources.
What does this mea	in? ^
Personal Informa	ition
First Name	VERONICA
Middle Name	С
Last Name	PERSINGER
Date of Birth	07/09/1942
Home address	
Street	1234 Aggie Ln
	124
City	Indianapolis
State	IN
Zip Code	46260
Phone number	
Mobile Phone	317-474-2516
The information I'v the use of <u>Fair Crea</u> identity.	e provided is correct, and I accept <u>dit Reporting Act</u> data to verify my
What is The Federal	Fair Credit Reporting Act?

Is your information displayed

22. Begin the NPI & DEA check



23. Enter your NPI. If all information returns correctly (State License Number & Issuing State), select a Provider Type from the provided list. Then select continue.



- 24. Allow the information to be shared back to OfficeEMR
- 25. Confirm the results in the Identity Proofing Screen
 - Ensure the NPI & DEA number in the ID.me column matches what is seen in OfficeMD Provider Setup
 - The additional details such as <u>email may differ</u> depending on what was provided in the New Provider Packet or Implementation Packet. These may differ but will still allow you to continue.
- 26. After the results are confirmed, you will need to **contact iSalus to complete the process if you DO NOT see** "SPI Approved" in green as shown below. If you are in Implementation please reach out to your contact

on the project. If adding a New Provider via Support please reach out to support@isalushealthcare.com or open a ticket to "Enable ePrescribing for {Doctor Name}".

If you are transitioning from IdenTrust to **ID.me** then you will not likely need iSalus to complete this step for you. It is likely that your SPI was approved before you ePrescribed from iSalus initially.

	ID Mo	OfficeMD Browider Setu
Email	email@hotmail.com	Officend Provider Setu
First Name	DAFFY	Daffy
Last Name	DUCK	Duck
State	СО	СО
Medical NPI	1669638999	1669638999
DEA Numbers	FM1695099 State: CO Expires: 2025-01-31 SPI Approved	FM1695099 State: CO
😿 Disconneo	rt	

- 27. Once you have confirmed the ID.me EPCS details as described above, there are two remaining pieces to complete this are:
 - Add & Enable the ID.me EPCS Credential (Part 2)
 - Approve ID.me Credentials (Part 3)

Add & Enable the ID.me EPCS Credential

This article describes part 2 of the ID.me EPCS Credentialing process. Following the Complete EPCS Enrollment via ID.me steps, a user will be expected to Add & Enable their certificate to the OfficeEMR user account. This article describes the necessary steps to complete this portion of the configuration.

ſ	Liser Setup												
1	-	oer oetup			B. D.		8					ID: 1/	42
						1 🖤						43	
		Credentia	setun for	User ID: Ichandle	r	4					Section	x	
2	H	Greaentia	i detup ioi							N//	S		1
		<u> </u>					•			New User/(recentia	101	
	н	Credentialer	RFC Name		Enabled T	User Credential Values	8						
	н				-								
1	Н					Type *					~		
1	Н					Sorial Number	Company E	EPCS	Login	Enabled	-		
	Н					2							
	J					RFC Name	ID.me using: n/a	× .		~			
1	к						IdenTrust(F) using: FOB	*	*	*			
1	к					Subject Name	IdenTrust(L) using: FOB		*	*			
	к					Mobile Account #	IdenTrust(M) using: Mobile Device	*		*			
	L						IdenTrust(P) using: FOB	× .		*			
t	м					Mobile User							
1	м												
	M					3 Valid					-		
						Enabled	Trustea Revoluea Expirea		J Appro	oved	*		
											_		
l	M					User #1	 Password #1 						
l	M					Liser #2	Password #2						
l	M					0301 #2							

Steps to Complete

- 1. As the Prescriber, login to OfficeEMR
- 2. Navigate to User Setup (Setup > User Setup OR from the bottom-left corner, select "Current User")
- 3. Within User Setup, open the **Credential Setup Screen** (#1 above)

User Setup		
	Q 🗛 🗋 🖣 🚨 🛇 🤱	<u> 1</u> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Users	Section	Open the window to connect user to a credential
🗸 Head, Chandler 🚺 🔺		open the window to connect user to a credential

- Once opened, select the Credential Type dropdown, and select the first available option "ID.me using: n/a" (#2 above)
- 5. Select the Enabled Checkbox (#3 above)

If a prescriber has an existing active credential; Once Save is selected, this will immediately inactivate the existing credential.

6. Save (#4 above). Once saved, the credential is now active. However, if the prescribing user <u>IS NOT</u> the first provider to retrieve either IdenTrust or IDme EPCS credentials, the newly activated credential must be approved by a prescriber who has already been approved. The first provider added to a database is auto-approved. See Approve a Credential for step-by-step instructions on this process.

Approve ID.me EPCS Credentials

This article describes the necessary steps an **approved prescriber** must take in order to approve subsequent prescribers being added to the database.

Steps to Complete

- 1. While logged in with a user who already has an approved EPCS credential
- 2. Navigate to User Setup > Credential Approval
- 3. Locate the credential needing to be approved
- 4. Select 'Approve' checkbox & complete the 2FA prompt with your existing credential
- 5. Once the complete the credential is ready to use within the EMR for prescribing EPCS.

Reset your MFA method for your ID.me Login

This article describes the necessary steps an **ID.me prescriber** must take in order to update or reset their multifactor authentication (MFA) method with ID.me.

Steps to Complete

The ID.me login for users - including the MFA method - is controlled by ID.me. To update this process or resolve/recover MFA method for use with your OfficeEMR prescribing, users must follow instructions in this ID.me article How to Reset your MFA Method.

Have a different ID.me issue? Search the ID.me Help page for solutions.